

Kitemark™ Certificate

This is to certify that:

Stevly UPVC Supply Centre Limited
T/A Stevly Windows
Units E & F Bowen Industrial Estate
Aberbargoed
Bargoed
Caerphilly
CF81 9EP
United Kingdom

Holds Certificate Number:

KM 650861

In respect of:

**Window and Doorset Energy Rating
Window & Door Energy Rating**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2016-10-13

Latest Issue: 2025-01-22

Effective Date: 2025-02-08

Expiry Date: 2028-02-07



Page: 1 of 2

Kitemark™ Certificate

No. KM 650861

Windows & Doorset Energy Ratings

This certificate covers the energy rating of window and doorset products in accordance with GGF Datasheet 2.3. For compliance with Building Regulations, refer to specific approved documents or the UK country concerned.

Window	Rating Band	Rating Index kWh(m ² .yr)	U-Value (U _w /U _d) W/(m ² .k)	Solar Factor g _w	Air Leakage heat loss W/(m ² .k)
A rated 'Linear' Casement Window	A	5	1.3	0.44	0.00

First Issued: 2016-10-13
Latest Issue: 2025-01-22

Effective Date: 2025-02-08
Expiry Date: 2028-02-07

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.